Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	42	(370/252,329,462,445,480,465, 338,343,281,302.ccls.) and ((radio wireless) same (frequency near2 dynamic\$4 near5 select\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/30 17:10
S1	183	(radio wireless) same (frequency near2 dynamic\$4 near5 select\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/30 17:06
S2	2	S1 and (channel near5 scann\$3) same ((power near3 level) (receiv\$3 near3 level)) same threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 08:40
S3	36	(frequency radio wireless) and (channel near5 scann\$3) same ((power near3 level) (receiv\$3 near3 level)) same threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 08:19
S4	966	(frequency radio wireless) and ((channel frequency bandwidth) near10 (scann\$3 select\$3 determin\$5 choos\$3)) same (((power near3 level) (receiv\$3 near3 level)) near15 threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 09:25
S5	1336	(radio wireless) same (dynamic\$4 near3 (frequency channel bandwidth) near3 (select\$4 allocat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 08:39
S6	5	S5 and (channel near5 scann\$3) same ((power near3 level) (receiv\$3 near3 level)) same threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 10:56
S7	67	S5 and ("WLAN" "wireless LAN" "wireless local area" "wireless access") and ((scan scan\$4) same (power near3 level) (receiv\$3 near3 level) same threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 13:25

S8	3	S5 and ("WLAN" "wireless LAN" "wireless local area" "wireless access") and ((scan scan\$4) same ((power near3 level) (receiv\$3 near3 level)) same threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 12:54
S9	62	S4 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 13:24
S10	47	S9 and ("WLAN" "wireless LAN" "wireless local area" "wireless access")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 13:35
S11	177	S4 and ("WLAN" "wireless LAN" "wireless local area" "wireless access")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 13:46
S12	19	Koohgoli.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 13:46
S13	96	(frequency radio wireless) and (channel near3 (select\$3 choos\$3)) same (channel near3 gap\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 16:12
S14	79	(frequency radio wireless) and ((channel bandwidth "BW") near3 (select\$3 choos\$3 chos\$2 scann\$3 scan)) with ((larg\$3 big\$3 most) near3 (gap\$3 spac\$3 separat\$3 apart divid\$3 division split\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 15:45
S15	43	(frequncey radio wireless) and ((channel bandwidth "BW") near3 (select\$3 choos\$3 chos\$2 scann\$3 scan)) with ((larg\$3 big\$3 most) near3 (gap\$3 spac\$3 separat\$3 apart divid\$3 division split\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 16:02

	ı		I <b>.</b>	I	T =	T
S16	8	(frequncey radio wireless) and ((channel bandwidth "BW") near3 (select\$3 choos\$3 chos\$2 scann\$3 scan)) with ((larg\$3 big\$3 most) near3 (gap\$3 spac\$3 separat\$3 apart divid\$3 division split\$3) near3 (midpoint middle between median center))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 13:52
S17	3	"5551071".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:05
S18	252	(frequncey radio wireless) and (channel bandwidth "BW") with ((larg\$3 big\$3 most) near3 (gap\$3 spac\$3 separat\$3 apart divid\$3 division split\$3) near3 (midpoint middle between median center))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 13:56
S19	252	(frequncey radio wireless) and ((channel bandwidth "BW") with ((larg\$3 big\$3 most) near3 (gap\$3 spac\$3 separat\$3 apart divid\$3 division split\$3) near3 (midpoint middle between median center)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 14:02
S20	159	S19 and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 13:57
S21	35	(frequncey radio wireless) and ((channel bandwidth "BW") with ((larg\$3 big\$3 most) near3 (gap\$3 spac\$3 separat\$3 apart divid\$3 division split\$3) near3 (midpoint middle median center)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 18:41
S22	2	"20050007979"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 15:46
S23	43	(frequncey radio wireless) and ((channel bandwidth "BW") near3 (select\$3 choos\$3 choos\$2 scann\$3 scan)) with ((larg\$3 big\$3 most) near3 (gap\$3 spac\$3 separat\$3 apart divid\$3 division))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 16:04

S24	33	(frequncey radio wireless) and ((channel bandwidth "BW") near3 (select\$3 choos\$3 chos\$2 scann\$3 scan)) with ((larg\$3 big\$3 most) near3 (gap\$3 spac\$3 separat\$3 apart division))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 16:50
S25	98	(frequncey radio wireless) and ((channel bandwidth "BW") near20 (select\$3 choos\$3 chos\$2)) with ((larg\$3 big\$3 most) near5 (gap\$3 spac\$3 separat\$3 apart division))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 18:42
S26	16	((channel bandwidth "BW") near20 (select\$3 choos\$3 chos\$2)) with ((larg\$3 big\$3 most) near5 (gap\$3 spac\$3 separat\$3 apart division) and (high\$3 near2 frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 18:52
S27	2	("dynamic frequency selection") and ((frequenc\$3 channel bandwidth) near10 (larg\$3 big\$3 most) near5 (gap\$3 spac\$3 separat\$3 apart division))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 18:55
S28	84	(frequency radio wireless) and ((channel frequency bandwidth) near10 (scann\$3 select\$3 determin\$5 choos\$3)) same (((power near3 level) (receiv\$3 near3 level)) near15 threshold) and ((collision\$2 collid\$3) near4 (detect\$4 determin\$5 occur\$3 happen\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 09:37
S29	0	((channel frequency bandwidth) near10 (scann\$3 select\$3 determin\$5 choos\$3)) same ((power near3 level) near15 threshold) same (collision\$2 near4 (detect\$4 determin\$5 occur\$3 happen\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 09:39
S30	63	((channel frequency bandwidth) near10 (scann\$3 select\$3 determin\$5 choos\$3)) same ((power near3 level) near15 threshold) and (collision\$2 near4 (detect\$4 determin\$5 occur\$3 happen\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 10:10

S31	39	S30 and ("370"/\$.ccls. "375"/\$. ccls. "455"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 09:42
S32	155	((wlan "wireless LAN" "wireless local area network") (frequency near2 dynamic\$4 near5 select\$4)) and ((channel frequency bandwidth) near5 (scann\$3 select\$3 determin\$5 choos\$3)) same (collision\$2 near5 (detect\$4 determin\$5 occur\$3 happen\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 10:15
S33	89	S32 and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 10:15
S34	727	(frequency radio wireless) and (channel near3 (select\$3 choos\$3)) same (channel near3 (high\$3 adj frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 16:14
S35		((wlan "wireless LAN" "wireless local area network") (frequency near2 dynamic\$4 near5 select\$4)) same (channel near3 (select\$3 choos\$3)) same (channel near3 (high\$3 adj frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:06
S36	28	((wlan "wireless LAN" "wireless local area network") (frequency near2 dynamic\$4 near5 select\$4)) and (channel near3 (select\$3 choos\$3)) same (channel near3 (high\$3 adj frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:00
S37	4	((wlan "wireless LAN" "wireless local area network") same . (frequency near2 dynamic\$4 near5 select\$4)) same (media storage software "RAM" "random access memory" "ROM" "read only memory" "EPROM" "EEPROM") and ((channel bandwidth frequency) near3 scan\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 14:02

Page 5 5/30/2007 5:20:52 PM C:\Documents and Settings\akasraian\My Documents\EAST\Workspaces\10615471\_2nd.wsp

						•
S38	20	((processor "CPU") near3 baseband) and (frequency near2 dynamic\$4 near5 select\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 14:14
S39	29	((processor "CPU") near10 baseband) and (frequency near2 dynamic\$4 near5 select\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 14:41
S40	35	((processor "CPU" unit control\$3) near10 baseband) and (frequency near2 dynamic\$4 near5 select\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 13:33
S41	13	((processor "CPU" unit control\$3) near10 baseband) same transceiver same (antenna\$2 near3 (omnidirection\$2 (omni near2 direction\$2))) and ("WLAN" "wireless local area network")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 13:55
S42	13	((processor "CPU" unit control\$3) near10 baseband) same (transceiver transmiter/receiver (transmitter near2 receiver)) same (antenna\$2 near3 (omnidirection\$2 (omni near2 direction\$2))) and ("WLAN" "wireless local area network")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 13:58
S43	134	((processor "CPU" unit control\$3) near10 baseband) and (transceiver transmiter/receiver (transmitter near2 receiver)) and (antenna\$2 near3 (omnidirection\$2 (omni near2 direction\$2))) and ("WLAN" "wireless local area network")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/30 08:51
S44	66	((processor "CPU" unit control\$3) near4 baseband) same (transceiver transmiter/receiver (transmitter near2 receiver)) and (antenna\$2 near3 (omnidirection\$2 (omni near2 direction\$2))) and ("WLAN" "wireless local area network")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 14:01

Page 6

S45	74	S43 and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 14:30
S46	74	((processor "CPU" unit control\$3) near10 baseband) and (transceiver transmitter/receiver (transmitter near2 receiver)) and (antenna\$2 near3 (omnidirection\$2 (omni near2 direction\$2))) and ("WLAN" "wireless local area network") and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 15:17
S47	17	((processor "CPU" unit control\$3) near10 baseband) and (frequency near2 dynamic\$4 near5 select\$4) and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 15:23
S48	935	((processor "CPU" unit control\$3) near10 baseband) and ("WLAN" "wireless local area network") and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 16:06
S49	87	S48 and (antenna\$2 near3 (omnidirection\$2 (omni near2 direction\$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 15:25
S50	595	((processor "CPU") near10 baseband) and ("WLAN" "wireless local area network") and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 16:07
S51	144	(((processor "CPU") near10 baseband) near20 antenna) and ("WLAN" "wireless local area network") and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 16:07
S52	101	((processor "CPU") near5 baseband) and (transceiver transmiter/receiver (transmitter near2 receiver)) and (antenna\$2 near3 (omnidirection\$2 (omni near2 direction\$2))) and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/30 08:52

S53	1297	("WLAN" "wireless local area network") and (omni-direction\$2 omnidirection\$2 (omni near2 direction\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/05/30 16:26
S54	334	S53 and transceiver and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/30 16:26

Page 8